Fluorescent Parts

Lighting Fixture

and

Lamp Parts

SUPPLEMENTARY CATALOG

YORKVILLE

METAL PRODUCTS

ESTABLISHED 1916

COMPANY

294-296 BOWERY NEW YORK CITY

BRASS AND IRON FITTINGS • BRASS TURNINGS • STAMPINGS • SPECIALTIES
FOR ELECTRICAL SUPPLY JOBBERS, LIGHTING FIXTURE AND LAMP MANUFACTURERS

Nearly a quarter of a century of fair dealing, prompt service, and higest quality has made the name Yorkville outstanding for Lighting Fixture and Lamp Parts, and Electrical Specialties.

We carry large and complete stocks of every item shown in this catalog. Our prices are RIGHT because of large volume purchasing and superior manufacturing sources. We hope that this catalog may be of assistance to you and the means of giving us the opportunity of proving that Yorkville can serve you economically and efficiently.

SUGGESTIONS: Whenever possible order in standard cartons. This not only facilitates the handling of your order but also gives you the benefit of quantity prices.

PROMPT SERVICE: Unnecessary delays can be avoided if your order clearly specifies OUR CATALOGUE NUMBER, QUANTITY and FINISHES.

SHIPMENTS: Specify on your order whether shipment is to be made by Express or Freight. Where no instructions are given our Shipping Department will use its best judgment.

PACKING: Our merchandise is packed very carefully and should arrive in perfect condition. Any claims for damaged merchandise should be taken up with the transportation company, since after delivery of merchandise to the carrier, our responsibility ceases.

RETURNED GOODS: Merchandise should not be returned to us unless permission in writing has been given by this company.

CLAIMS: Must be made in writing within 5 days after receipt of merchandise.

PRICES: Under existing conditions, prices are subject to change without notice. All prices subject to Federal and State Taxes.

TERMS: 2%—10 days—Net 30 days—F. O. B. NEW YORK CITY. Unless you are well rated, satisfactory trade references must accompany the order to open an account.

MINIMUM CHARGE: Owing to the cost of handling and billing small orders, our minimum invoice is $2.00, which charge will be made on orders which net less than that amount.

YORKVILLE METAL PRODUCTS CO.
294-296 BOWERY • Phone GRAMERCY 7-3890-1 • NEW YORK CITY



1170–4" Steel Adapter, Unfinished
1171–4" " " Baked Enamel
With ¼" I.P. Hole on bottom



1172–6" Steel Adapter, Unfinished
1173–6" " " Baked Enamel
With ¼" I.P. Hole on Bottom



1178–Arm Canopy, Unfinished
1179– " " Baked Enamel
1181– " " Aluminum
Length–12"–Width–5"
1/8 Hole in center



1177–Rectangular Canopy, Unfinished
Length–13" Width–4–1/8"
Not punched

5" x 4" BELL SHAPE



SLIP RING	FINISH
No. 311 – 5/8"	Brush Brass
No. 840 – 5/8"	Browntone
No. 841 – 3/4"	Brush Brass
No. 842 – 3/4"	Browntone
No. 973 – 7/8"	Brush Brass
No. 974 – 7/8"	Stat. Bronze

NOTE: The 7/8" Slip Ring Canopy slips over 1/2" Iron Pipe

1180 – 1/4" Thick 3/4" Wide Asbestos Washer
1174 – 1/4" Thick 3/4" Wide Fiber Washer
Hole slips 8/32" screw



1175–1" Wide Asbestos Tape
1176–¾" " " "
1205–½" " " "
1/32nd" Thick



Fluorescent Bracket, Bare

No.	Length	Finish
1183	18"	Unfinished
1184	18"	Chrome
1185	24"	Unfinished
1186	24"	Chrome

DEEP FLANGE WITH KNOCK-OUT



NO.	SLIP RING	FINISH
758	– 5/8"	Brush Brass
759	– 5/8"	Stat. Bronze
927	– 5/8"	Browntone
975	– 5/8"	Chrome
760	– 3/4"	Brush Brass
761	– 3/4"	Stat. Bronze
928	– 3/4"	Browntone
976	– 3/4"	Chrome
1182	– 7/8"	Stat. Bronze

NOTE: The 7/8" Slip Ring Canopy slips over 1/2" Iron Pipe



FIXTURE CHAIN
Made Of Steel
Standard 2" Link
No. 301 – Brush Brass
No. 302 – Stat. Bronze
No. 303 – Browntone
No. 457 – Nickel
No. 458 – Chrome



1" OVAL
No. 721 – Gilt
No. 722 – Chrome
No. 1191 – Nickel
No. 1192 – Stat. Bronze



LIGHT DOME
Length of Link – $2\frac{1}{4}$"
Thickness of Link – 3/16"
No. 1008 – Brush Brass
No. 1009 – Stat. Bronze



HEAVY DOME
Length of Link – $2\frac{1}{4}$"
Thickness of Link – 1/4"
No. 1010 – Brush Brass
No. 1011 – Stat. Bronze
No. 1193 – Nickel



1187–Light S. Hook,
Cadmium Plated



1189–Heavy S. Hook,
Cadmium Plated



1188–Light Jack Chain,
Holding Strength 140 lbs.
Cadmium Plated

1190–Heavy Jack Chain,
Holding Strength 275 lbs.
Cadmium Plated

CHAIN PLIERS



CONCEALED
For commercial and residential fixtures. Conceals wires.
No. 666 – Cadmium
No. 667 – Stat. Bronze

No. 367 Chain Plier

LOOPS



1/8" MALE

No. 280 – Brass
No. 879 – Stat. Bronze
No. 989 – Chrome



1/8" FEMALE

No. 245 – Brass
No. 878 – Stat. Bronze
No. 990 – Chrome



1/4" MALE

No. 675 – Brass
No. 991 – Chrome
No. 992 – Stat. Bronze

1/4" FEMALE X 3/4" CHECK

No. 281 – Brass



3/8" OVAL MALE

No. 673 – Brass
No. 995 – Stat. Bronze
No. 996 – Chrome



3/8" HEAVY MALE

No. 473 – Brass
No. 874 – Stat. Bronze
No. 993 – Chrome



3/8" HEAVY FEMALE

No. 672 – Brass
No. 875 – Stat. Bronze
No. 994 – Chrome

3/8" FEMALE

No. 246 – Brass
No. 880 – Stat. Bronze
No.1250 – Chrome



SCREW COLLAR

No. 474 – 1/4" F Brass
No. 876 – 1/4" F Chrome
No.1004 – 1/4" F Stat. Bronze
No. 674 – 3/8" F Brass
No. 877 – 3/8" F Chrome
No.1005 – 3/8" F Stat. Bronze



SMALL COLONIAL

No. 999 – 1/8" F Brass
No. 1000 – 1/8" F Chrome
No. 1001 – 1/4" F Brass
No. 1002 – 1/4" F Chrome



MEDIUM COLONIAL

No. 796 – 1/8" F Brass
No. 997 – 1/8" F Chrome
No. 797 – 1/4" F Brass
No. 998 – 1/4" F Chrome



1/2" MALE LOOPS

No. 1003 – Brass
No. 1164 – Stat. Bronze
No. 1251 – Chrome
No. 1252 – Cadmium Pl.
No. 1253 – Nickel Pl.

NOZZLES



NOZZLES

No.	Size	Finish
1198	3/8F x 1/4 M.	Brass
1199	3/8F x 1/4 M.	Chrome Pl.
1200	1/4F x 1/4 M.	Brass
1201	1/4F x 1/4 M.	Chrome Pl.

Screw Collar Nozzles

No.	Size	Finish
1194	3/8"F x 1/4 M.	Brass
1195	3/8 F x 1/4 M.	Chrome Pl.
1196	1/4 F x 1/4 M.	Brass
1197	1/4 F x 1/4 M.	Chrome Pl.



BLIND - No. 585
With four different threadings
3/8" F. x 3/8" M. x 1/4" F. x 1/8" F.



OPEN - No. 216

3/8" F. x 3/8" M. x 1/8" F.



EXTRA HEAVY-OPEN

255 - 1/2" F x 3/8" M



Waste Nut, Cadmium Plated
No. 1203-3/8" F.



Waste Nut, Cadmium Plated
No. 1204-1/4" F.

THREADED CAPS



OPEN

No. 222 - 3/8" F. x 1/8" F.
No. 471 - 3/8" F. x 8/32" F.
No. 472 - 3/8" F. x 4/27" F.



BLIND
No. 260 - 3/8" F. x 1/8" F.

COUPLINGS



BRASS COUPLINGS
No. 208 - 3/8 F. x 3/8 F.
No. 1073 - 3/8 F. x 1/4 F.
No. 1074 - 3/8 F. x 1/8 F.
No. 1202 - 3/8 F. x 3/8 F., Chrome

REGULAR
No. 205 - 1/8" F x 1/8" F



LARGE BALL ADJUSTABLE
TURNED BRASS
No. 1047 - 1/8" M x 1/8" F



SPECIAL LARGE ADJUSTABLE
TURNED BRASS
No. 1048 - 1/4" M x 1/4" F



ADJUSTABLE TURNED BRASS
No. 230 - 1/8" M x 1/8" F

REDUCING BUSHINGS

Made OF BRASS

No. 200 - 4/27" F x 1/8" M
No. 781 - 8/32" F x 1/8" M
No. 1256 - 10/24" F x 1/8" M

No. 201 - 1/8" F x 1/4" M
No. 202 - 1/8" F x 3/8" M
No. 203 - 1/8" F x 3/8" M
No. 204 - 3/8" F x 1/2" M

IRON HEXAGON LOCKNUTS

No. 498 – 6/32" Thread
No. 500 – 8/32" Thread
No. 1118 – 4/27" Thread

No. 233 – 1/8" Thread

No. 388 – 1/4" Thread



No. 389 – 3/8" Thread

No. 1225 – 1/4" Special Heavy



No. 390 – 3/8 Special Heavy

BRASS HEXAGON LOCKNUTS

No. 499 – 6/32" Thread
No. 501 – 8/32" Thread

No. 704 – 5/16" Thread

No. 497 – 1/8" Thread



HEAVY
No. 703 – 1/8" Thread

BRASS ROUND LOCKNUTS

PLAIN
No. 705 – 1/8" Thread

KNURLED
No. 706 – 1/8" Thread

KNURLED
No. 707 – 1/4" Thread



KNURLED
No. 1117 – 3/8" Thread

STEEL WASHERS

LOCK-TIGHT

No. 782 – Slips over 6/32" Screw

No. 783 – Slips over 8/32" Screw

LOCK-TIGHT

No. 1119 – Slips over 4/27" Screw

No. 1120 – Slips over 5/16" I P

LOCK-TIGHT

No. 710 – Slips over 1/8" I P

No. 784 – Slips over 1/4" I P

LOCK



TIGHT

No. 785 – Slips over 3/8" I P



REGULAR TYPE
No. 919 – 6/32" Hole
No. 920 – 8/32" Hole
No. 391 – 1/8" Hole



SPLIT TYPE
No. 502 – 1/8" Hole

SPECIAL TYPE HEAVY STEEL
No. 708 – 1" Wide x 1/8" Hole
No. 1226 – 1" Wide x 1/4" Hole
No. 1227 – 1" Wide x 3/8" Hole



Round Head



Binding Head

Nickel Plated
8/32" Thread

NO.	THRD LGTH
865 –	1/4"
866 –	3/8"
867 –	1/2"
1122 –	5/8"
868 –	3/4"
869 –	1"
870 –	1 1/4"
871 –	1 1/2"
872 –	2"

NO.	THRD LGTH
1228 –	3/8"
1229 –	1/2"
1230 –	5/8"
1231 –	3/4"

IRON AND BRASS RUNNING THREAD IN LENGTHS

IRON ALL THREAD IN 3 FT. LENGTHS

No.	405	–	1/8"	Thread
No.	406	–	1/4"	"
No.	407	–	3/8"	"
No.	408	–	1/2"	"

BRASS ALL THREAD

No. 276	– 1/8"	–	3	Ft. Lengths
No. 476	– 1/4"	–	2 "	"
No. 477	– 3/8"	–	2 "	"

IRON ALL THREAD NIPPLES

NO.		THREAD		LENGTH
1106	–	1/4	x	5/8"
410	–	1/4"	x	3/4"
411	–	1/4"	x	1"
605	–	1/4	x	1 1/4"
606	–	1/4	x	1 1/2"
607	–	1/4	x	1 3/4"
608	–	1/4	x	2 "
1107	–	1/4	x	2 1/4"
1108	–	1/4	x	2 1/2"
1109	–	1/4	x	3 "

NO.		THREAD		LENGTH
1110	–	3/8	x	5/8"
412	–	3/8	x	3/4"
413	–	3/8	x	1 "
1111	–	3/8	x	1 1/4"
609	–	3/8	x	1 1/2"
426	–	3/8	x	2 "
610	–	3/8	x	2 1/2"
1112	–	3/8	x	3 "
1113	–	3/8	x	3 1/2"



1/2" I. P.

NO.		THREAD		LENGTH
611	–	1/2	x	1 "
612	–	1/2	x	1 1/2"
613	–	1/2	x	2 "
614	–	1/2	x	2 1/2"

IRON EXTENSIONS



3/8"F. x 3/8"M.

No. 694 – 11/16" Long
No. 239 – 1 " Long
No. 240 – 1-3/8" Long

STEEL NIPPLES—BRASS PLATED

1/8" ALL THREAD

No.	1082	–	3/8"	Length
No.	1083	–	1/2"	"
No.	1084	–	5/8"	"
No.	1085	–	3/4"	"
No.	1086	–	7/8"	"
No.	1087	–	1"	"
No.	1088	–	1 1/4"	"
No.	1089	–	1 1/2"	"
No.	1090	–	1 3/4"	"
No.	1091	–	2 "	"
No.	1092	–	2 1/4"	"
No.	1093	–	2 1/2"	"
No.	1094	–	2 3/4"	"
No.	1095	–	3 "	"
No.	1096	–	3 1/2"	"
No.	1097	–	4 "	"

BRASS NIPPLES

1/8" ALL THREAD

No.	249	–	3/8"	Length
No.	263	–	1/2"	"
No.	264	–	5/8"	"
No.	265	–	3/4"	"
No.	478	–	7/8"	"
No.	266	–	1"	"
No.	267	–	1 1/4"	"
No.	268	–	1 1/2"	"
No.	269	–	1 3/4"	"
No.	270	–	2 "	"
No.	271	–	2 1/4"	"
No.	272	–	2 1/2"	"
No.	273	–	2 3/4"	"
No.	274	–	3 "	"
No.	275	–	3 1/2"	"
No.	590	–	4 "	"

SLIP RINGS

MADE OF BRASS



No.		Slip	Finish
507	–	5/8"	Brass
508	–	3/4"	Brass
1232	–	5/8"	Nickel Pl.
1233	–	3/4"	Nickel Pl.

FLAT STEEL CHECK RINGS

NICKEL PLATED

NO.		SEATING		SLIP	
729	–	1/2"	x	1/8"	I P
731	–	5/8"	x	1/8"	I P
733	–	5/8"	x	1/4"	I P
712	–	3/4"	x	1/8"	I P
714	–	3/4"	x	1/4"	I P
735	–	7/8"	x	1/8"	I P
737	–	7/8"	x	1/4"	I P
739	–	1– "	x	1/8"	I P
741	–	1– "	x	1/4"	I P
743	–	1-1/8"	x	1/8"	I P
745	–	1-1/8"	x	1/4"	I P
747	–	1-1/4"	x	1/8"	I P
749	–	1-1/4"	x	1/4"	I P
751	–	1-3/8"	x	1/8"	I P
753	–	1-3/8"	x	1/4"	I P
755	–	1-1/2"	x	1/8"	I P
757	–	1-1/2"	x	1/4"	I P

BRACKET CAPS

No.	Size	Finish
217	1/8" F.	Brass
572	1/8" F.	Chrome
573	1/8" F.	Ivory
574	1/8" F.	White
575	1/8" F.	Bronze
1239	1/8" F.	Nickel Pl.

FLAT KNURLED

No.	Size	Finish
1063	1/8" F.	Brass
1064	1/8" F.	Chrome
1240	1/8" F.	Nickel Pl.

No. 899 - 4/27" F. Brass
No. 1060 - 4/27" F. Chrome

KNOB FOR
FLUORESCENT CANOPY

No.	Size	Finish
1243	3/8" F.	Brass
1244	1/4" F.	Brass
1245	1/8" F.	Brass
1246	3/8" F.	Chrome
1247	1/4" F.	Chrome
1248	1/8" F.	Chrome

EYELET BUSHINGS

REGULAR

No. 513 - 6/32" Brass
No. 514 - 8/32" Brass

OVERSIZE

No. 1081 - 8/32" Brass

BRASS BUSHINGS

No. 224 -
1/8 M.

No. 533 -
3/8 M.

No. 1249 -
1/4" M.



SPECIAL

No. 1066 - 3/8" M x 1/2" Thread L'gth.
No. 1067 - 3/8" M x 5/8" Thread L'gth.
No. 1068 - 3/8" M x 3/4" Thread L'gth.
No. 1069 - 3/8" M x 1 " Thread L'gth.

TURNED KNOBS

KNURLED TURNED KNOB

No.	Size	Finish
1065	8/32" F.	Brass
1241	8/32" F.	Nickel Pl.

BALL TOP KNOB

No.	Size	Finish
950	1/8" F.	Brass
1242	1/8" F.	Chrome



PYRAMID

No. 951 - 1/8" F. Brass

BALL

No. 583 - 1/8" F.



MUSHROOM

No. 1062 - 1/8" F. Brass

HEXAGON CAP

No. 494 - 8/32" F. Brass
No. 849 - 8/32" F. Nickel
No.1058 - 6/32" F. Brass
No.1059 - 6/32" F. Nickel

BALL ORNAMENT

No. 535 - 6/32" F.
No. 536 - 8/32" F.

FINIALS



1¼" Long

NO.	THREAD	FINISH
505	- 4/27"F	Brass
580	- 4/27"F	Nickel
506	- 1/8"F	Brass
581	- 1/8"F	Nickel



1 1/8" Long - Moderne

No. 1052 - 1/8" F. Brass
No. 1053 - 1/8" F. Nickel

PENDANT STEMS IN ASSORTED LENGTHS



For 5/8 Slip Canopies Threaded on Both Ends 3/8" M x 3/8" M

No. 1014 – 6" long Brush Brass
No. 1015 – 6" long Chrome
No. 1016 – 9" long Brush Brass
No. 1017 – 9" long Chrome
No. 1018 – 12" long Brush Brass
No. 1019 – 12" long Chrome
No. 1020 – 15" long Brush Brass
No. 1021 – 15" long Chrome
No. 1022 – 18" long Brush Brass
No. 1023 – 18" long Chrome
No. 1024 – 24" long Brush Brass
No. 1025 – 24" long Chrome
No. 1026 – 30" long Brush Brass
No. 1027 – 30" long Chrome
No. 1028 – 36" long Brush Brass
No. 1029 – 36" long Chrome
No. 1206 – 12" long Satin Chrome
No. 1207 – 15" long Satin Chrome
No. 1208 – 18" long Satin Chrome
No. 1209 – 24" long Satin Chrome
No. 1210 – 30" long Satin Chrome
No. 1211 – 36" long Satin Chrome
No. 1212 – 42" long Satin Chrome
No. 1213 – 48" long Satin Chrome
No. 1214 – 42" long Chrome
No. 1215 – 48" long Chrome
No. 1216 – 54" long Chrome
No. 1217 – 60" long Chrome
No. 1257 – 72" long Chrome

BLIND PENDANT STEMS

3/8" F on top for 3/4" Slip Canopies



SWINGING LOOP TYPE

No. 299 – 6" overall Brush Brass
No. 882 – 6" overall Stat. Bronze
No. 883 – 6" overall Pewter
No. 1012 – 6" overall Chrome
No. 725 – 7" overall Brush Brass



CAST LOOP ON THREADED STEM TYPE

No. 298 – Brush Brass 6" overall
No. 884 – Stat. Bronze 6" overall
No. 1013 – Chrome 6" overall

OPEN CLUSTER STEMS

REGULAR

No. 427 – Length 5" – Brush Brass

For 5/8 Slip Canopies.
Threaded Both Ends.
3/8" M x 3/8" M



SLOTTED

No. 428 – Length 5" – Brush Brass

HANG STRAIT FIXTURE SWIVELS

SMALL TYPE

Brass Finish

No.	Top	Bottom
777	1/4" F.	x 1/4" F.
1218	1/4" F.	x 3/8" F.
1220	3/8" F.	x 3/8" F.

Chrome Finish

1006	1/4" F.	x 1/4" F.
1219	1/4" F.	x 3/8" F.
1221	3/8" F.	x 3/8" F.



REGULAR TYPE

Brass Finish

No.	Top	Bottom	Check
475	1/4" F.	x 1/4" F.	x 3/4
680	1/4" F.	x 3/8" F.	x no check
679	3/8" F.	x 3/8" F.	x no check

Chrome Finish

No.	Top	Bottom	Check
881	1/4" F.	x 1/4" F.	x 3/4
1030	3/8" F.	x 3/8" F.	x no check
1224	1/4" F.	x 3/8" F.	x no check



HEAVY TYPE

Brass Finish

No.	Top	Bottom	Check
922	3/8" F.	x 3/8" F.	x 7/8
1167	3/8" F.	x 1/2" F.	I. P. Size

Chrome Finish

1222	3/8" F.	x 3/8" F.	x 7/8
1223	3/8" F.	x 1/2" F.	I. P. Size

KEEP COVERED WHEN NOT IN USE

BULL DOG QUALITY

Terminal Compound

Cement

NON-INFLAMMABLE — MOISTPROOF
NON-CONDUCTOR — IMMEDIATE SURFACE DRYING
HEATPROOF — EXCELLENT ADHESION

FOR FLUORESCENT SOCKETS

#1254 – 1 Gal. Can #1255 – 1/2 Gal. Can

STAMPED STARS

MADE OF BRASS



No. 516 – 1" Wide
No. 1127 – 1" Wide with hole

No. 515 – 3/4" Wide
No. 1126 – 3/4" Wide with hole

SHANK NAILS



No. 1128 – 9/16" Long

HAND PUNCH – NO. 1145

For punching holes in canopies or plates. Principle on which it is constructed is responsible for its great power. It has a capacity of 1/4" holes in 14 gauge metal, 3/8" holes in 16" gauge, 17/32" holes in 18" gauge or equivalent. Punches and dies are quickly and easily changed.



Furnished with Punch and Die for 1/8" I.P. Hole.

Unusually large throat, 3 1/2" deep to center of punch and 2 1/8" high and the large range of punches and dies it accommodates (from 3/32" to 17/32") suitable for a wide variety of flat and formed work. Frame and handle are steel forgings and all moving parts are of tool steel individually hardened and tempered. Complete with gauge stripper and one punch, and die.

Extra Punches & Dies

No. 1234 – Slips 6/32 Screw
No. 1235 – Slips 8/32 Screw
No. 1236 – Slips 1/8" I. P.
No. 1237 – Slips 1/4" I. P.
No. 1238 – For Canopy Switch

HICKEYS

OPEN MALLEABLE IRON
MALE X FEMALE

440 - 3/8"M x 1/8"F
441 - 3/8"M x 1/4"F
442 - 3/8"M x 3/8"F

OPEN MALLEABLE IRON

231 - 1/8"F x 1/8"F
376 1/4"F x 1/8"F
377 - 1/4"F x 1/4"F
378 - 3/8"F x 1/8"F
379 - 3/8"F x 1/4"F
380 - 3/8"F x 3/8"F
693 - 1/2"F x 1/8"F
718 - 1/2"F x 1/4"F
381 - 1/2"F x 3/8"F
480 - 1/2"F x 1/2"F



FEMALE X FEMALE

BLIND MALLEABLE IRON

234 - 3/8"F x 1/8"F
383 - 3/8"F x 1/4"F
384 - 3/8"F x 3/8"F
719 - 1/2"F x 1/8"F
386 - 1/2"F x 1/4"F
385 - 1/2"F x 3/8"F
481 - 1/2"F x 1/2"F

OPEN BRASS

232 - 1/8"F x 1/8"F
387 - 1/4"F x 1/8"F

AVERY LIBRARY
COLUMBIA UNIVERSITY